

ENFORCER Products, Inc. P.O. Box 1060 Cartersville, GA 30120 1-888-805-HELP

## Material Safety Data Sheet

and Safe Handling and Disposal Information

Section 1. Chemical Product and Company Identification

Product name Deck & Fence Cleaner Concentrate

**Product Code** HDDFW128 CNDFW128 Date of issue 01/13/04 Supersedes 04/01/99

Emergency For MSDS Information: Telephone Compliance Services (404) 352-1680

Numbers

For a Medical Emergency: CHEM-TEL

(800) 255-3924 (Toll Free - Calls Recorded)

For a Transportation Emergency:

CHEMTREC

(800) 424-9300 (Toll Free - Calls Recorded)

Prepared by Compliance Services Group

Acuity Specialty Products Group 1420 Seaboard Industrial Blvd.

Atlanta, GA 30318

Section 2. Composition, Information on Ingredients

Name of Hazardous Ingredients	CAS#	% by Weight	Exposure Limits
Oxalic Acid, Dihydrate; Ethanedioic Acid	6153-56-6	1-5	ACGIH TLV (United States).
			TWA: 1 mg/m <sup>3</sup> 8 hour(s).

## Section 3. Hazards Identification

**Printing Date:** 

**Acute Effects** Routes of Entry Skin Contact Eye contact. Inhalation.

Skin Hazardous in case of skin contact (irritant). Direct contact may cause irritation and redness. Eyes

Hazardous in case of eye contact (corrosive). Contact with eyes may cause severe irritation and possible burns. Inflammation of the eye is characterized by redness, watering, and itching.

Inhalation Hazardous in case of inhalation (lung irritant). May cause respiratrory tract irritation.

Ingestion Harmful if swallowed.

Carcinogenic Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

**Effects** 

**Chronic Effects** Prolonged or repeated contact with skin or mucous membrane may result in irritation

symptoms such as redness, blistering, dermatitis, etc.

## See Toxicological Information (section 11)

Section 4. First Aid Measures

**Eye Contact** Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Skin Contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get

medical attention immediately.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention immediately.

Ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to

an unconscious person. Get medical attention immediately.

Section 5. Fire Fighting Measures

**Flash Point** Not applicable. Flammable Limits Not applicable.

Flammability Non-flammable. Fire Hazard Not applicable.

**Fire-Fighting Procedures** Use an extinguishing agent suitable for surrounding fires. Fire-fighters should

wear proper protective equipment.



HMIS

3

0

0

В

Health

Fire Hazard

Reactivity

Personal

Protection

Product Code IIDDFW128 Material Safety Data Sheet Product Name Deck & Fence Cleaner Concentrate

Section 6. Accidental Release Measures

**Spill Clean up** Put on appropriate personal protective equipment (see Section 8). Dilute with water and mop up, or absorb

with an inert dry material and place in an appropriate waste disposal container.

Section 7. Handling and Storage

Handling Avoid contact with eyes, skin and clothing. Do not breathe vapor or mist. Keep container closed. Use only with

adequate ventilation. Wash thoroughly after handling.

**Storage** Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not reuse container. Keep out of

the reach of children.

Section 8. Exposure Controls, Personal Protection

Personal Protection

Protective Clothing (Pictograms)

**Eyes** Safety glasses.

**Body** Gloves. Recommended: Rubber gloves. Neoprene gloves. Nitrile

gloves.

Respirator: Avoid breathing vapors or spray mists. A respirator is not needed under normal and intended conditions of product use.

Section 9. Physical and Chemical Properties

Physical State Liquid. Color Light Blue. Green.

**pH** 4.0 - 5.0 **Odor** Mild.

Boiling Point100°C (212°F)Vapor Pressure Not determined.Specific Gravity1 (Water = 1)Vapor Density Not determined.

Solubility Easily soluble in cold water, hot water. Evaporation Rate 1 compared to Butyl accuste.

VOC (Consumer) 0 (g/l).

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

**Incompatibility** Reactive with OXIDIZING AGENTS, alkalis.

Hazardous Polymerization Will not occur.

**Hazardous Decomposition** carbon oxides (CO, CO<sub>2</sub>)

**Products** 

Section 11. Toxicological Information

Toxicity to Animals Oxalic Acid, Dihydrate:

ORAL (LD50): Acute: 375 mg/kg [Rat].
DERMAL (LD50): Acute: 20000 mg/kg [Rabbit].

Section 12. Ecological Information
Ecotoxicity Not available.

Biodegradable/OE( Not available.

Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control

regulations.

Waste Stream Code: D002

Classification: Corrosive liquid.

Consult your local or regional authorities.

Section 14. Transport Information

**DOT Classification** Class 8: Corrosive liquid.

UN number UN 3261

TDG Classification Class 8

Section 15. Regulatory Information

U.S. Federal Regulations SARA 313 toxic chemical notification and release reporting:

No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean air act (CAA) 112 regulated toxic substances: No products were found.

**State Regulations** California prop. 65: No products were found.

WHMIS (Canada) Class D-1B: Material causing immediate and serious toxic effects (TOXIC).

## Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.